



Welcome to the Kwikset family!

This guide will get you ready to install your new knob.

If you have any issues, please visit our support center: kwikset.com/support or call us at 1-800-327-5625.

**This manual can be used to install a variety of knobs.
Please determine your function type prior to installation.**



Passage
(Hall/ Closet)



Privacy
(Bed/ Bath)





Entry
(Keyed)




Inactive
(Non-Rotating)

***Tools**



wood block



*Tools will depend on install type


[Door Prep:](#) If you need help in preparing your door

[Drilling template:](#) If you need help in drilling your door

1 Separate knobs (if pre-assembled)



If installing a non-rotating knob, skip to step 4

A



B

Twist the side with the holes.



C

Set knobs aside until step 4.

2 Adjust the backset of the latch (if needed)

A



Hold the latch in front of the door hole, with the latch face flush against the door edge.



B

If the latch holes are centered in the door hole, no adjustment is required. Proceed to step 3.



If the latch holes are NOT centered, adjust latch. See "Latch Adjustment" (step C).



C

Latch Adjustment (only if needed)

Move the pin to extend the latch.




3 Install latch (chiseled door)


A



B



C




3 Install latch (non-chiseled door)

A




B

Remove plates with flat head screwdriver




C

Install drive-in collar



D

Use hammer and wood block to tap in latch without damaging it.





Installation instructions differ by knob design.
Installing Passage, Privacy or Entry for
the below imaged knobs, follow directions on page 5.

Option 4a: Install passage, & privacy knobs



Passage
(Hall/ Closet)



Privacy
(Bed/ Bath)

Option 4b: Install entry knobs



Entry
(Keyed)

Installing Inactive knobs, proceed to page 8, step 4d.

Option 4d: Install inactive knobs



Inactive
(Non-Rotating)

4


Install knobs: Passage, Privacy & Entry

Option 4a: Install passage, & privacy knobs then proceed to [step 5](#)




A

IMPORTANT: If installing a passage lock on an entry door, make sure the knob with the screw holes is on the interior side of the door.




interior



Press latch bolt to install knob.

B


Align round edges.



exterior


C

Ensure holes are horizontal.




D

Tip: Pull knob slightly away from door to see where screws insert.



E

Push up on knob while tightening screws to keep latch horizontal and centered.




exterior


Option 4b: Install entry knobs then proceed to [step 5](#)

A

Press latch bolt to install exterior knob.




exterior



OK if flipped

B

Align round edges.



interior


C

To catch screws:


1. Twist counter-clockwise




2. Push while twisting



3. Twist clockwise



D





Installation instructions differ by knob design.
Installing Passage, Privacy or Entry for
the below imaged knobs, follow directions on page 7.


Option 4c: Install passage, privacy, & entry knobs



4 Install knobs: Passage, Privacy & Entry

Option 4c: Install passage, privacy, & entry knobs then proceed to [step 5](#)


- A** Press latch bolt to install exterior knob.




! IMPORTANT: If installing a passage lock on an entry door, make sure the knob with the screw holes is on the interior side of the door.

- B** Remove knob.


Loosen the pre-installed set screw.




- C** Install interior knob base.



- D** If the knob won't sit flush, rotate turnbutton to align.




- E** Insert screws and tighten by hand.
(Screws may be positioned horizontal or vertical)




Tip: Pull knob slightly away from door to see where screws insert.


- F** Push up on knob base while tightening screws to keep latch horizontal and centered.



- G** Install knob.




Align holes on knob and knob base before tightening the pre-installed set screw.




For Privacy Locks ONLY

Your emergency tool may look different depending on your model.




or




4 Install inactive (non-rotating) knobs

Option 4d: Install inactive knobs then proceed to [step 5](#)

- A** Mark drill holes using the knob, then drill 1/8" (3 mm) 1/2" (13 mm) deep. (Screws may be positioned horizontal or vertical)




B




5 Install strike to door frame

A




- B** Close door, test latch operation and make adjustments as needed:

If small bolt of latch enters strike hole, reposition strike.



If latch is loose in the strike, adjust the strike tab so it grips the latch bolt better when the door is closed.



SmartKey Rekeying Instructions



SMARTKEY SECURITY™

ONE KEY FOR ALL YOUR LOCKS™

Easily re-key
yourself

Reset tool
goes here



WITH PROTECTION AGAINST
ADVANCED BREAK-IN TECHNIQUES

The lock you can
re-key yourself in
seconds for any
situation, including:



**Recently
Moved**



**Lost
Keys**



**Multiple
Doors**



**Carry
Less Keys**

For rekeying instructions, you can also visit:

<https://www.kwikset.com/support/answers/how-to-re-key-your-smartkey-security-locks>

If you have any issues, please visit our
support center: [kwikset.com/support](https://www.kwikset.com/support)
or call us at 1-800-327-5625.



WARNING: This Manufacturer advises that no lock can provide complete security by itself. This lock may be defeated by forcible or technical means, or evaded by entry elsewhere on the property. No lock can substitute for caution, awareness of your environment, and common sense. Builder's hardware is available in multiple performance grades to suit the application. In order to enhance security and reduce risk, you should consult a qualified locksmith or other security professional.